





LEGEND


-  APPROXIMATE LOCATION OF STANDARD PENETRATION TEST BORING
-  APPROXIMATE LOCATION OF AUGER BORING

LOCATION PLAN
SCALE: 1"=300'

GEOTECHNICAL ENGINEERING SERVICES
PROPOSED ELEMENTARY SCHOOL "L"
 SOUTH OF KOA STREET
 POINCIANA, OSCEOLA COUNTY, FLORIDA

psi *Information*
To Build On
 Engineering • Consulting • Testing

DRAWN: DJW	SCALE: NOTED	PROJ. NO: 757-65362
CHKD: JAS	DATE: 2-2-07	SHEET: 1




SOIL PROFILES
SCALE: 1"=5'

- LEGEND**
- ① LIGHT BROWN TO DARK BROWN FINE SAND TO SLIGHTLY SILTY FINE SAND, (SP), (SP-SM)
 - ② LIGHT BROWN TO ORANGE-BROWN SILTY FINE SAND, (SM)
 - (SP) UNIFIED SOIL CLASSIFICATION GROUP SYMBOL
 - N STANDARD PENETRATION RESISTANCE IN BLOWS PER FOOT
 - 3.0 1-9-07 DEPTH TO GROUNDWATER LEVEL IN FEET WITH DATE OF READING
 - W NATURAL MOISTURE CONTENT IN PERCENT
 - 200 FINES PASSING #200 SIEVE IN PERCENT

GEOTECHNICAL ENGINEERING SERVICES
PROPOSED ELEMENTARY SCHOOL "L"
 SOUTH OF KOA STREET
 POINCIANA, OSCEOLA COUNTY, FLORIDA



DRAWN: DJW	SCALE: NOTED	PROJ. NO: 757-65362
CHKD: JAS	DATE: 2-2-07	SHEET: 2



- LEGEND**
- (1) LIGHT BROWN TO DARK BROWN FINE SAND TO SLIGHTLY SILTY FINE SAND, (SP), (SP-SM)
 - (2) LIGHT BROWN TO ORANGE-BROWN SILTY FINE SAND, (SM)
 - (SP) UNIFIED SOIL CLASSIFICATION GROUP SYMBOL
 - DEPTH TO GROUNDWATER LEVEL IN FEET WITH DATE OF READING
 - W NATURAL MOISTURE CONTENT IN PERCENT
 - 200 FINES PASSING #200 SIEVE IN PERCENT

SOIL PROFILES
SCALE: 1"=5'

GEOTECHNICAL ENGINEERING SERVICES
PROPOSED ELEMENTARY SCHOOL "L"
 SOUTH OF KOA STREET
 POINCIANA, OSCEOLA COUNTY, FLORIDA



DRAWN: DJW	SCALE: NOTED	PROJ. NO: 757-65362
CHKD: JAS	DATE: 2-2-07	SHEET: 3